



Mud weight	ppg	10.6								
Solids	%	18.80								
Chlorides	mg/L	47,420.0								
Rm	Ohm.m@°C	n.a								
Rmf	Ohm.m@°C	n.a								
Rmc	Ohm.m@°C	n.a								
Potassium	%	n.a								
<b>Environmental data</b>										
<b>GR</b>										
Mud weight	ppg	10.6								
Bit size	in	8.50								
<b>Resistivity</b>										
<b>Neutron porosity</b>										
Hole Size	in.	8.50								
Mud weight	ppg	10.6								
Temperature	°C	20								
Mud salinity	ppk	70.878								
Formation salinity		n.a								
Recording rate 1	SEC	6 (arcVISION)								
Recording rate 2	SEC	2 (EcoScope)								
Filtering GR		3 pts.								
Filtering density		3 pts.								
Filtering Neutron		3 pts.								
Company representative	R. Spence	A. Zernov	D. Daniels							
Anadrill personnel	M. Amarasena	B. Low	D. Perkins	P. Sellathurai	C. Soper	D. B. Khanh	D. O'Brien			

#### DISCLAIMER


THE USE OF AND RELIANCE UPON THIS RECORDED-DATA BY THE HEREIN NAMED COMPANY (AND ANY OF ITS AFFILIATES, PARTNERS, REPRESENTATIVES, AGENTS, CONSULTANTS AND EMPLOYEES) IS SUBJECT TO THE TERMS AND CONDITIONS AGREED UPON BETWEEN SCHLUMBERGER AND THE COMPANY, INCLUDING: (a) RESTRICTIONS ON USE OF THE RECORDED-DATA; (b) DISCLAIMERS AND WAIVERS OF WARRANTIES AND REPRESENTATIONS REGARDING COMPANY'S USE OF AND RELIANCE UPON THE RECORDED-DATA; AND (c) CUSTOMER'S FULL AND SOLE RESPONSIBILITY FOR ANY INFERENCE DRAWN OR DECISION MADE IN CONNECTION WITH THE USE OF THIS RECORDED-DATA.

OTHER SERVICES FOR RUN3 Directional Drilling Direction Surveys Annular Pressure & Temperature Shock & Vibrations	OTHER SERVICES FOR RUN	OTHER SERVICES FOR RUN
REMARKS: RUN NUMBER 3 Depth is referenced to Driller's depth Gamma ray is corrected for mud weight, tool size and bit size  Resistivity is borehole compensated and environmentally corrected  Neutron porosity is corrected for the effects of borehole size (i.e. bit size), temperature, mud salinity and mud hydrogen index (a factor of mud weight, mud temperature and pressure)  Neutron porosity is calculated by using a limestone matrix density of 2.71 g/cm3  The SNA-A11A original hole was drilled to 4592m and as the BHA could not be fished out, the hole was plugged back and SNA-A11A-st was drilled.  The EcoScope has a 7-7/8" Stabilizer  The EcoScope sourceless density was pulsed in real-time  The arcVISION Gamma ray reads higher as the arcVISION was above the EcoScope PNG which activated the formation prior to the arcVISION tool logging the same section.	REMARKS: RUN NUMBER	REMARKS: RUN NUMBER

#### EQUIPMENT DESCRIPTION

RUN 3	RUN	RUN

DOWNHOLE EQUIPMENT




Maximum string diameter 8.50 in.  
All lengths in Meters



IDEAL Version: ID14\_OC\_02 <MD > Vertical Scale: 1:500 Graphics File Created: 18-Apr-2009 07:32


PIP SUMMARY

⊥ Resistivity PIP

└ Gamma PIP







PIP SUMMARY

└ Resistivity PIP

└ Gamma PIP

SCHLUMBERGER

Survey report

18-Apr-2009 11:40:26

Page 1 of 11

Client..... Esso Australia  
Field..... Snapper

Well..... CBA-A14b  
API number..... 08ASQ0028  
Engineer..... M. Amarasena/D. O'Brien

RIG LABEL:..... ISDL 175  
STATE:..... Victoria

Spud date..... 09-Sep-08  
Last survey date..... 08-Oct-09  
Total accepted surveys.... 298  
MD of first survey..... 0.00 m  
MD of last survey..... 4593.00 m

----- Survey calculation methods-----  
Method for positions..... Minimum curvature  
Method for DLS..... Mason & Taylor

----- Depth reference -----  
Permanent datum..... Mean Sea Level  
Depth reference..... Driller's Depth  
GL above permanent..... -55.00 m  
KB above permanent..... Top Drive  
DF above permanent..... 41.70 m

----- Vertical section origin-----  
Latitude (+N/S-)..... -1.85 m  
Departure (+E/W-)..... 2.38 m

----- Platform reference point-----  
Latitude (+N/S-).....  
Departure (+E/W-).....

Azimuth from Vsect Origin to target: 225.66 degrees

----- Geomagnetic data -----  
Magnetic model..... BGGM version 2008  
Magnetic date..... 21-Oct-2008  
Magnetic field strength.. 1198.04 HCNT  
Magnetic dec (+E/W-)..... 13.00 degrees  
Magnetic dip..... -68.69 degrees

----- MWD survey Reference Criteria -----  
Reference G..... 1000.02 mGal  
Reference H..... 1198.04 HCNT  
Reference Dip..... -68.86 degrees  
Tolerance of G..... (+/-) 2.50 mGal  
Tolerance of H..... (+/-) 6.00 HCNT  
Tolerance of Dip..... (+/-) 0.45 degrees

----- Corrections -----  
Magnetic dec (+E/W-)..... 13.22 degrees  
Grid convergence (+E/W-).. -0.81 degrees  
Total az corr (+E/W-)..... 14.03 degrees  
(Total az corr = magnetic dec - grid conv)  
Survey Correction Type ...:  
I=Sag Corrected Inclination  
M=Schlumberger Magnetic Correction  
S=SORS1 Magnetic Correction  
F=Failed Axis Correction  
R=Magnetic Resonance Tool Correction  
D=Dmag Magnetic Correction

Seq #	Measured depth (m)	Incl angle (deg)	Azimuth angle (deg)	Course length (m)	TVD depth (m)	Vertical section (m)	Displ +N/S- (m)	Displ +E/W- (m)	Total displ (m)	At Azim (deg)	DLS (deg/100f)	Srvy tool type	Tool Corr (deg)
1	0.00	0.00	0.00	0.00	0.00	0.00	-1.85	2.38	3.01	127.86	0.00	TIP	None
2	9.08	0.00	0.00	9.08	9.08	0.00	-1.85	2.38	3.01	127.86	0.00	MWD_M	None
3	64.08	0.64	256.16	55.00	64.08	0.26	-1.92	2.08	2.83	132.74	0.35	MWD_M	None
4	69.08	0.63	260.84	5.00	69.08	0.31	-1.93	2.03	2.80	133.66	0.32	MWD_M	None
5	74.08	0.65	250.94	5.00	74.08	0.36	-1.95	1.97	2.77	134.63	0.68	MWD_M	None
6	79.08	0.64	252.60	5.00	79.08	0.41	-1.97	1.92	2.75	135.67	0.13	MWD_M	None
7	84.08	0.66	258.82	5.00	84.08	0.46	-1.98	1.87	2.72	136.71	0.45	MWD_M	None
8	89.08	0.67	251.56	5.00	89.08	0.51	-1.99	1.81	2.69	137.79	0.52	MWD_M	None

9	94.08	0.60	249.24	5.00	94.08	0.56	-2.01	1.76	2.67	138.89	0.45	MWD_M	None
	99.08	0.58	241.17	5.00	99.08	0.61	-2.03	1.71	2.66	139.95	0.52	MWD_M	None
11	104.08	0.62	228.30	5.00	104.08	0.66	-2.06	1.67	2.65	141.07	0.85	MWD_M	None
	109.08	0.70	211.44	5.00	109.08	0.72	-2.11	1.63	2.67	142.27	1.27	MWD_M	None
	114.08	0.89	192.04	5.00	114.08	0.78	-2.17	1.61	2.70	143.50	1.99	MWD_M	None
	119.08	1.08	185.88	5.00	119.07	0.85	-2.26	1.59	2.76	144.76	1.32	MWD_M	None
	124.08	1.46	178.13	5.00	124.07	0.93	-2.37	1.59	2.85	146.09	2.54	MWD_M	None
16	129.08	1.89	174.10	5.00	129.07	1.02	-2.51	1.60	2.98	147.48	2.72	MWD_M	None
	134.08	2.10	170.15	5.00	134.07	1.12	-2.69	1.63	3.14	148.80	1.53	MWD_M	None
	139.08	2.49	169.82	5.00	139.06	1.24	-2.88	1.66	3.33	150.04	2.38	MWD_M	None
	144.08	2.77	169.43	5.00	144.06	1.36	-3.11	1.70	3.54	151.29	1.71	MWD_M	None
	149.08	3.04	169.81	5.00	149.05	1.51	-3.36	1.75	3.79	152.49	1.65	MWD_M	None
21	154.08	3.26	170.56	5.00	154.05	1.66	-3.63	1.80	4.05	153.68	1.36	MWD_M	None
	159.08	3.50	173.03	5.00	159.04	1.84	-3.92	1.84	4.33	154.89	1.71	MWD_M	None
	164.08	3.80	175.77	5.00	164.03	2.03	-4.24	1.87	4.63	156.21	2.11	MWD_M	None
	169.08	3.96	177.49	5.00	169.01	2.26	-4.58	1.89	4.95	157.58	1.21	MWD_M	None
	174.08	4.35	183.02	5.00	174.00	2.51	-4.94	1.89	5.28	159.10	3.41	MWD_M	None
26	179.08	4.62	185.30	5.00	178.99	2.80	-5.33	1.86	5.64	160.78	1.97	MWD_M	None
	184.08	4.97	188.80	5.00	183.97	3.13	-5.74	1.81	6.02	162.55	2.78	MWD_M	None
	189.08	5.34	192.30	5.00	188.95	3.50	-6.18	1.72	6.42	164.43	2.96	MWD_M	None
	194.08	5.61	194.26	5.00	193.93	3.90	-6.65	1.61	6.84	166.36	2.00	MWD_M	None
	199.08	5.84	193.73	5.00	198.90	4.33	-7.13	1.49	7.29	168.18	1.44	MWD_M	None
31	204.08	6.01	195.66	5.00	203.87	4.77	-7.63	1.36	7.75	169.89	1.60	MWD_M	None
	209.08	6.40	199.47	5.00	208.84	5.25	-8.14	1.20	8.23	171.64	3.46	MWD_M	None
	214.08	6.67	202.29	5.00	213.81	5.76	-8.68	0.99	8.73	173.46	2.56	MWD_M	None
	219.08	6.96	204.15	5.00	218.78	6.31	-9.22	0.76	9.25	175.29	2.22	MWD_M	None
	224.08	7.40	207.94	5.00	223.74	6.90	-9.78	0.49	9.79	177.16	3.94	MWD_M	None
36	229.08	7.84	209.45	5.00	228.69	7.53	-10.36	0.17	10.37	179.08	2.95	MWD_M	None
	234.08	8.37	211.17	5.00	233.64	8.21	-10.97	-0.19	10.97	180.99	3.55	MWD_M	None
	239.08	8.88	212.23	5.00	238.59	8.94	-11.61	-0.58	11.62	182.88	3.26	MWD_M	None
	244.08	9.43	212.07	5.00	243.52	9.71	-12.28	-1.01	12.32	184.68	3.36	MWD_M	None
	249.08	10.25	212.50	5.00	248.45	10.55	-13.01	-1.46	13.09	186.42	5.02	MWD_M	None
41	254.08	10.81	212.64	5.00	253.37	11.44	-13.78	-1.95	13.91	188.08	3.42	MWD_M	None
	259.08	11.55	212.86	5.00	258.27	12.38	-14.59	-2.48	14.80	189.64	4.52	MWD_M	None
	264.08	12.12	212.88	5.00	263.16	13.38	-15.45	-3.04	15.75	191.12	3.47	MWD_M	None
	269.08	12.69	212.49	5.00	268.05	14.43	-16.36	-3.62	16.75	192.47	3.51	MWD_M	None
	274.08	13.36	212.57	5.00	272.92	15.52	-17.31	-4.22	17.81	193.71	4.09	MWD_M	None
46	279.08	14.13	212.66	5.00	277.78	16.68	-18.31	-4.86	18.94	194.87	4.70	MWD_M	None
	284.08	14.63	212.45	5.00	282.62	17.89	-19.35	-5.53	20.13	195.95	3.06	MWD_M	None
	289.08	15.27	212.31	5.00	287.45	19.15	-20.44	-6.22	21.37	196.93	3.91	MWD_M	None
	294.08	16.00	211.97	5.00	292.26	20.46	-21.58	-6.94	22.67	197.82	4.48	MWD_M	None
	299.08	16.98	211.90	5.00	297.06	21.84	-22.79	-7.69	24.05	198.64	5.98	MWD_M	None
51	304.08	17.56	211.94	5.00	301.83	23.28	-24.05	-8.47	25.50	199.41	3.54	MWD_M	None
	309.08	18.41	211.96	5.00	306.59	24.78	-25.36	-9.29	27.01	200.12	5.18	MWD_M	None
	314.08	19.09	211.99	5.00	311.32	26.34	-26.72	-10.14	28.58	200.78	4.15	MWD_M	None
	319.08	19.84	211.85	5.00	316.04	27.96	-28.14	-11.02	30.22	201.39	4.58	MWD_M	None
	324.08	20.38	211.77	5.00	320.73	29.63	-29.60	-11.93	31.91	201.95	3.30	MWD_M	None
56	329.08	21.36	211.76	5.00	325.41	31.36	-31.11	-12.87	33.67	202.47	5.97	MWD_M	None
	334.08	22.08	211.69	5.00	330.05	33.15	-32.69	-13.84	35.49	202.95	4.39	MWD_M	None
	339.08	22.85	211.55	5.00	334.67	35.00	-34.31	-14.84	37.38	203.39	4.71	MWD_M	None
	344.08	23.62	211.57	5.00	339.27	36.92	-35.99	-15.87	39.34	203.80	4.69	MWD_M	None
	349.08	24.89	211.82	5.00	343.82	38.91	-37.74	-16.95	41.37	204.19	7.77	MWD_M	None
61	354.08	25.22	211.39	5.00	348.35	40.97	-39.54	-18.06	43.47	204.55	2.30	MWD_M	None
	359.08	26.19	211.56	5.00	352.86	43.07	-41.39	-19.19	45.63	204.88	5.93	MWD_M	None
	364.08	26.52	211.53	5.00	357.34	45.22	-43.29	-20.36	47.83	205.19	2.01	MWD_M	None
	369.08	26.97	211.34	5.00	361.80	47.40	-45.21	-21.53	50.07	205.47	2.79	MWD_M	None
	374.08	27.48	211.43	5.00	366.25	49.62	-47.16	-22.72	52.35	205.72	3.12	MWD_M	None
66	379.08	28.09	211.41	5.00	370.67	51.88	-49.15	-23.94	54.67	205.97	3.72	MWD_M	None
	384.08	28.40	211.27	5.00	375.08	54.17	-51.17	-25.17	57.02	206.19	1.93	MWD_M	None
	389.08	28.95	211.53	5.00	379.46	56.50	-53.22	-26.42	59.41	206.40	3.44	MWD_M	None
	394.08	29.37	211.43	5.00	383.83	58.86	-55.29	-27.69	61.84	206.60	2.58	MWD_M	None
	399.08	29.94	211.44	5.00	388.18	61.26	-57.40	-28.98	64.30	206.79	3.47	MWD_M	None
71	404.08	30.23	211.47	5.00	392.50	63.69	-59.54	-30.29	66.80	206.96	1.77	MWD_M	None
	409.08	30.54	211.55	5.00	396.82	66.14	-61.70	-31.61	69.32	207.13	1.91	MWD_M	None
	414.08	30.93	211.56	5.00	401.11	68.62	-63.88	-32.95	71.87	207.28	2.38	MWD_M	None
	419.08	31.27	211.61	5.00	405.39	71.12	-66.08	-34.30	74.45	207.43	2.08	MWD_M	None
	424.08	31.61	211.56	5.00	409.66	73.65	-68.30	-35.66	77.05	207.57	2.08	MWD_M	None
76	429.08	31.97	211.57	5.00	413.91	76.21	-70.54	-37.04	79.68	207.71	2.19	MWD_M	None
	434.08	32.35	211.61	5.00	418.14	78.79	-72.81	-38.44	82.33	207.83	2.32	MWD_M	None
	439.08	32.76	211.64	5.00	422.36	81.40	-75.10	-39.85	85.02	207.95	2.50	MWD_M	None
	444.08	33.16	211.66	5.00	426.55	84.04	-77.42	-41.28	87.73	208.07	2.44	MWD_M	None
	449.08	33.49	211.84	5.00	430.73	86.70	-79.75	-42.72	90.47	208.18	2.10	MWD_M	None
81	454.08	33.93	211.75	5.00	434.89	89.40	-82.11	-44.18	93.24	208.28	2.70	MWD_M	None
	459.08	34.32	211.71	5.00	439.03	92.12	-84.50	-45.66	96.04	208.39	2.38	MWD_M	None
	464.08	34.71	211.67	5.00	443.15	94.87	-86.91	-47.15	98.87	208.48	2.38	MWD_M	None
	469.08	35.15	211.63	5.00	447.25	97.65	-89.34	-48.65	101.73	208.57	2.69	MWD_M	None
	474.08	35.60	211.64	5.00	451.33	100.45	-91.81	-50.17	104.62	208.65	2.74	MWD_M	None
86	479.08	36.06	211.71	5.00	455.38	103.29	-94.30	-51.70	107.54	208.74	2.82	MWD_M	None
	484.08	36.50	211.72	5.00	459.41	106.17	-96.82	-53.26	110.50	208.82	2.68	MWD_M	None
	489.08	36.99	211.75	5.00	463.42	109.07	-99.43	-54.93	113.50	208.90	2.82	MWD_M	None
	494.08	37.50	211.77	5.00	467.41	112.00	-102.14	-56.68	116.50	209.00	2.98	MWD_M	None
	499.08	38.02	211.79	5.00	471.38	115.00	-104.94	-58.47	119.50	209.10	3.14	MWD_M	None

88	489.08	36.99	211.72	5.00	463.42	109.07	-99.36	-54.83	113.49	208.89	2.99	MWD_M	None
89	494.08	37.46	211.80	5.00	467.40	112.01	-101.93	-56.42	116.51	208.97	2.88	MWD_M	None
90	499.08	37.90	211.80	5.00	471.35	114.97	-104.53	-58.03	119.56	209.04	2.68	MWD_M	None
91	504.08	38.35	211.81	5.00	475.29	117.97	-107.15	-59.66	122.64	209.11	2.74	MWD_M	None
92	509.08	38.99	211.91	5.00	479.19	121.00	-109.81	-61.31	125.76	209.18	3.92	MWD_M	None
93	514.08	39.45	211.97	5.00	483.07	124.08	-112.49	-62.98	128.92	209.24	2.81	MWD_M	None
94	519.08	39.98	211.97	5.00	486.91	127.18	-115.20	-64.67	132.11	209.31	3.23	MWD_M	None
95	524.08	40.39	212.08	5.00	490.73	130.31	-117.93	-66.39	135.34	209.38	2.54	MWD_M	None
96	529.08	40.95	212.15	5.00	494.52	133.48	-120.69	-68.12	138.59	209.44	3.43	MWD_M	None
97	534.08	41.48	212.20	5.00	498.28	136.69	-123.48	-69.87	141.88	209.50	3.24	MWD_M	None
98	539.08	41.93	212.23	5.00	502.02	139.92	-126.30	-71.65	145.20	209.57	2.75	MWD_M	None
99	544.08	42.36	212.26	5.00	505.73	143.19	-129.14	-73.44	148.56	209.63	2.62	MWD_M	None
100	549.08	42.84	212.31	5.00	509.41	146.48	-132.00	-75.24	151.94	209.68	2.93	MWD_M	None
101	554.08	43.36	212.39	5.00	513.06	149.80	-134.88	-77.07	155.35	209.74	3.19	MWD_M	None
102	559.08	43.91	212.47	5.00	516.67	153.16	-137.79	-78.92	158.80	209.80	3.37	MWD_M	None
103	564.08	44.39	212.54	5.00	520.26	156.55	-140.73	-80.79	162.27	209.86	2.94	MWD_M	None
104	569.08	44.88	212.59	5.00	523.82	159.97	-143.69	-82.68	165.78	209.92	2.99	MWD_M	None
105	574.08	45.35	212.68	5.00	527.35	163.43	-146.68	-84.59	169.32	209.97	2.89	MWD_M	None
106	579.08	45.99	212.81	5.00	530.84	166.91	-149.68	-86.53	172.89	210.03	3.94	MWD_M	None
107	584.08	46.34	212.87	5.00	534.31	170.43	-152.71	-88.49	176.50	210.09	2.15	MWD_M	None
108	589.08	46.91	212.92	5.00	537.74	173.97	-155.77	-90.46	180.13	210.15	3.48	MWD_M	None
109	594.08	47.52	212.90	5.00	541.14	177.55	-158.85	-92.45	183.79	210.20	3.72	MWD_M	None
110	599.08	48.11	212.89	5.00	544.49	181.17	-161.96	-94.46	187.49	210.25	3.60	MWD_M	None
111	604.08	48.55	212.90	5.00	547.82	184.81	-165.09	-96.49	191.22	210.31	2.68	MWD_M	None
112	609.08	48.99	212.94	5.00	551.11	188.48	-168.25	-98.54	194.98	210.36	2.69	MWD_M	None
113	614.08	49.61	213.03	5.00	554.37	192.17	-171.43	-100.60	198.77	210.41	3.80	MWD_M	None
114	619.08	49.96	213.14	5.00	557.60	195.90	-174.63	-102.68	202.58	210.46	2.19	MWD_M	None
115	624.08	50.61	213.13	5.00	560.80	199.65	-177.85	-104.79	206.42	210.51	3.96	MWD_M	None
116	629.08	51.13	213.28	5.00	563.95	203.44	-181.09	-106.91	210.30	210.56	3.25	MWD_M	None
117	634.08	51.57	213.33	5.00	567.07	207.26	-184.36	-109.06	214.20	210.61	2.69	MWD_M	None
118	639.08	52.25	213.45	5.00	570.16	211.10	-187.64	-111.22	218.13	210.66	4.19	MWD_M	None
119	644.08	52.76	213.55	5.00	573.20	214.98	-190.95	-113.41	222.09	210.71	3.15	MWD_M	None
120	649.08	53.34	213.68	5.00	576.21	218.89	-194.28	-115.62	226.08	210.76	3.59	MWD_M	None
121	654.08	53.70	213.68	5.00	579.18	222.82	-197.62	-117.85	230.10	210.81	2.19	MWD_M	None
122	659.08	54.45	213.76	5.00	582.11	226.78	-200.99	-120.10	234.14	210.86	4.59	MWD_M	None
123	664.08	54.97	213.82	5.00	585.00	230.78	-204.38	-122.37	238.22	210.91	3.18	MWD_M	None
124	669.08	55.76	213.80	5.00	587.84	234.80	-207.80	-124.66	242.33	210.96	4.82	MWD_M	None
125	674.08	56.38	213.73	5.00	590.64	238.86	-211.25	-126.96	246.47	211.01	3.80	MWD_M	None
126	679.08	56.97	213.77	5.00	593.38	242.95	-214.73	-129.29	250.64	211.05	3.60	MWD_M	None
127	684.08	57.55	213.86	5.00	596.09	247.07	-218.22	-131.63	254.84	211.10	3.57	MWD_M	None
128	689.08	58.12	213.83	5.00	598.75	251.21	-221.73	-133.98	259.07	211.14	3.48	MWD_M	None
129	694.08	58.80	213.81	5.00	601.36	255.38	-225.27	-136.36	263.33	211.19	4.15	MWD_M	None
130	699.08	59.51	213.82	5.00	603.93	259.58	-228.84	-138.74	267.62	211.23	4.33	MWD_M	None
131	704.08	60.06	213.82	5.00	606.44	263.81	-232.43	-141.15	271.93	211.27	3.35	MWD_M	None
132	709.08	60.74	213.81	5.00	608.91	268.06	-236.04	-143.57	276.28	211.31	4.15	MWD_M	None
133	714.08	61.41	213.80	5.00	611.33	272.35	-239.68	-146.00	280.65	211.35	4.08	MWD_M	None
134	719.08	62.00	213.77	5.00	613.70	276.66	-243.34	-148.45	285.05	211.39	3.60	MWD_M	None
135	724.08	62.60	213.80	5.00	616.03	280.99	-247.02	-150.91	289.47	211.42	3.66	MWD_M	None
136	729.08	63.20	213.78	5.00	618.30	285.34	-250.72	-153.39	293.92	211.46	3.66	MWD_M	None
137	734.08	63.89	213.68	5.00	620.53	289.72	-254.44	-155.87	298.39	211.49	4.24	MWD_M	None
138	739.08	64.17	213.74	5.00	622.72	294.12	-258.18	-158.37	302.88	211.53	1.74	MWD_M	None
139	744.08	64.56	213.70	5.00	624.88	298.53	-261.93	-160.87	307.39	211.56	2.39	MWD_M	None
140	749.08	64.79	213.71	5.00	627.02	302.95	-265.69	-163.38	311.90	211.59	1.40	MWD_M	None
141	754.08	64.83	213.72	5.00	629.15	307.38	-269.45	-165.89	316.42	211.62	0.25	MWD_M	None
142	759.08	64.85	213.69	5.00	631.28	311.81	-273.22	-168.40	320.95	211.65	0.21	MWD_M	None
143	764.08	64.76	213.66	5.00	633.41	316.23	-276.98	-170.91	325.47	211.68	0.57	MWD_M	None
144	769.08	64.66	213.65	5.00	635.54	320.65	-280.75	-173.42	329.99	211.70	0.61	MWD_M	None
145	774.08	64.49	213.66	5.00	637.69	325.07	-284.50	-175.92	334.50	211.73	1.04	MWD_M	None
146	779.08	64.35	213.70	5.00	639.85	329.48	-288.26	-178.42	339.01	211.76	0.88	MWD_M	None
147	784.08	64.25	213.74	5.00	642.01	333.89	-292.00	-180.92	343.51	211.78	0.65	MWD_M	None
148	789.08	64.16	213.77	5.00	644.19	338.30	-295.75	-183.42	348.01	211.81	0.57	MWD_M	None
149	794.08	64.18	213.81	5.00	646.37	342.70	-299.49	-185.93	352.51	211.83	0.25	MWD_M	None
150	799.08	64.02	213.83	5.00	648.55	347.10	-303.22	-188.43	357.00	211.86	0.98	MWD_M	None
151	804.08	63.78	213.83	5.00	650.75	351.50	-306.95	-190.93	361.49	211.88	1.46	MWD_M	None
152	809.08	63.63	213.83	5.00	652.97	355.88	-310.68	-193.42	365.97	211.91	0.91	MWD_M	None
153	814.08	63.55	213.85	5.00	655.19	360.27	-314.40	-195.92	370.44	211.93	0.50	MWD_M	None
154	819.08	63.63	213.90	5.00	657.42	364.65	-318.12	-198.41	374.92	211.95	0.56	MWD_M	None
155	824.08	63.72	213.95	5.00	659.63	369.04	-321.83	-200.91	379.40	211.98	0.61	MWD_M	None
156	829.08	63.97	213.97	5.00	661.84	373.43	-325.56	-203.42	383.88	212.00	1.53	MWD_M	None
157	834.08	64.27	213.98	5.00	664.02	377.84	-329.29	-205.94	388.38	212.02	1.83	MWD_M	None
158	839.08	64.53	213.97	5.00	666.18	382.25	-333.03	-208.46	392.89	212.04	1.59	MWD_M	None
159	844.08	65.01	214.01	5.00	668.31	386.68	-336.78	-210.98	397.41	212.07	2.93	MWD_M	None
160	849.08	65.47	214.01	5.00	670.41	391.13	-340.54	-213.52	401.95	212.09	2.80	MWD_M	



168	889.08	69.43	214.15	5.00	685.74	427.32	-371.13	-234.22	438.86	212.26	2.80	MWD_M	None
169	894.08	69.84	214.17	5.00	687.48	431.91	-375.01	-236.86	443.54	212.28	2.50	MWD_M	None
170	899.08	70.11	214.19	5.00	689.19	436.51	-378.90	-239.49	448.24	212.30	1.65	MWD_M	None
171	904.08	70.37	214.22	5.00	690.88	441.12	-382.79	-242.14	452.94	212.32	1.59	MWD_M	None
172	909.08	70.40	214.29	5.00	692.56	445.74	-386.68	-244.79	457.65	212.34	0.44	MWD_M	None
173	914.08	70.50	214.38	5.00	694.23	450.36	-390.57	-247.45	462.36	212.36	0.80	MWD_M	None
174	929.77	69.92	213.75	15.69	699.55	464.82	-402.80	-255.72	477.12	212.41	1.61	MWD_M	None
175	958.90	70.38	217.36	29.13	709.44	491.79	-425.09	-271.65	504.47	212.58	3.59	MWD_M	None
176	1031.43	71.86	227.29	72.53	732.96	560.20	-475.73	-317.81	572.12	213.74	4.00	MWD_M	None
177	1061.56	72.45	230.93	30.13	742.20	588.82	-494.50	-339.48	599.81	214.47	3.56	MWD_M	None
178	1090.97	72.64	236.97	29.41	751.03	616.57	-511.00	-362.15	626.32	215.33	5.97	MWD_M	None
179	1119.77	72.71	242.74	28.80	759.61	643.21	-524.80	-385.92	651.42	216.33	5.83	MWD_M	None
180	1149.27	72.81	246.25	29.50	768.36	669.87	-536.93	-411.34	676.38	217.46	3.47	MWD_M	None
181	1178.56	73.01	249.35	29.29	776.96	695.80	-547.50	-437.26	700.68	218.61	3.09	MWD_M	None
182	1207.68	73.11	252.09	29.12	785.45	721.03	-556.70	-463.55	724.43	219.78	2.75	MWD_M	None
183	1236.43	73.19	255.64	28.75	793.79	745.27	-564.35	-489.98	747.37	220.97	3.60	MWD_M	None
184	1265.97	73.19	259.34	29.54	802.33	769.29	-570.47	-517.58	770.28	222.22	3.65	MWD_M	None
185	1295.26	75.10	260.12	29.29	810.33	792.63	-575.49	-545.30	792.81	223.46	2.14	MWD_M	None
186	1324.52	77.31	260.06	29.26	817.31	816.07	-580.38	-573.29	815.79	224.65	2.30	MWD_M	None
187	1353.14	80.46	259.60	28.62	822.83	839.30	-585.34	-600.93	838.89	225.75	3.39	MWD_M	None
188	1382.46	83.82	258.62	29.32	826.84	863.53	-590.83	-629.45	863.30	226.81	3.64	MWD_M	None
189	1411.86	84.45	254.99	29.40	829.84	888.56	-597.50	-657.92	888.74	227.76	3.80	MWD_M	None
190	1438.99	84.34	253.00	27.13	832.49	912.32	-604.95	-683.87	913.04	228.50	2.23	MWD_M	None
191	1469.73	84.22	251.43	30.74	835.56	939.68	-614.29	-712.99	941.12	229.25	1.55	MWD_M	None
192	1495.08	83.10	249.56	25.35	838.36	962.55	-622.70	-736.74	964.65	229.80	2.61	MWD_M	None
193	1524.61	83.35	248.29	29.53	841.84	989.48	-633.25	-764.10	992.40	230.35	1.33	MWD_M	None
194	1557.55	81.71	246.72	32.94	846.12	1019.80	-645.74	-794.28	1023.65	230.89	2.09	MWD_M	None
195	1586.20	81.97	245.06	28.65	850.19	1046.41	-657.32	-820.16	1051.07	231.29	1.77	MWD_M	None
196	1615.69	82.06	242.94	29.49	854.29	1074.13	-670.13	-846.41	1079.57	231.63	2.17	MWD_M	None
197	1645.11	82.29	241.37	29.42	858.29	1102.07	-683.74	-872.18	1108.24	231.91	1.63	MWD_M	None
198	1674.05	82.03	240.31	28.94	862.24	1129.74	-697.71	-897.21	1136.57	232.13	1.14	MWD_M	None
199	1703.12	82.32	238.35	29.07	866.20	1157.72	-712.40	-921.98	1165.15	232.31	2.06	MWD_M	None
200	1732.30	82.20	236.84	29.18	870.13	1186.01	-727.89	-946.39	1193.94	232.44	1.57	MWD_M	None
201	1761.47	82.34	235.21	29.17	874.05	1214.44	-744.05	-970.36	1222.79	232.52	1.69	MWD_M	None
202	1790.91	82.17	232.75	29.44	878.02	1243.30	-761.20	-993.96	1251.95	232.55	2.53	MWD_M	None
203	1819.75	82.34	230.57	28.84	881.91	1271.72	-778.92	-1016.37	1280.52	232.53	2.29	MWD_M	None
204	1849.17	82.20	228.35	29.42	885.86	1300.81	-797.87	-1038.52	1309.63	232.47	2.28	MWD_M	None
205	1878.57	82.21	225.34	29.40	889.85	1329.93	-817.79	-1059.77	1338.62	232.34	3.09	MWD_M	None
206	1907.72	83.13	222.85	29.15	893.57	1358.83	-838.56	-1079.89	1367.23	232.17	2.76	MWD_M	None
207	1936.37	83.16	219.37	28.65	896.99	1387.18	-859.98	-1098.59	1395.16	231.95	3.68	MWD_M	None
208	1965.65	83.33	216.22	29.28	900.44	1415.98	-882.96	-1116.40	1423.36	231.66	3.26	MWD_M	None
209	1994.86	83.27	219.15	29.21	903.85	1444.70	-905.91	-1134.13	1451.53	231.38	3.04	MWD_M	None
210	2024.29	83.27	221.55	29.43	907.30	1473.80	-928.19	-1153.06	1480.23	231.17	2.47	MWD_M	None
211	2053.19	83.24	220.75	28.90	910.69	1502.41	-949.80	-1171.94	1508.50	230.98	0.84	MWD_M	None
212	2082.34	82.86	221.32	29.15	914.22	1531.26	-971.62	-1190.94	1537.01	230.79	0.71	MWD_M	None
213	2111.43	82.87	221.69	29.09	917.83	1560.04	-993.24	-1210.07	1565.50	230.62	0.38	MWD_M	None
214	2140.76	82.95	221.72	29.33	921.45	1589.08	-1014.97	-1229.43	1594.26	230.46	0.09	MWD_M	None
215	2169.42	83.04	221.71	28.66	924.95	1617.46	-1036.20	-1248.36	1622.38	230.31	0.10	MWD_M	None
216	2198.60	82.92	221.88	29.18	928.51	1646.36	-1057.80	-1267.66	1651.03	230.16	0.22	MWD_M	None
217	2227.83	82.95	222.43	29.23	932.11	1675.31	-1079.30	-1287.13	1679.76	230.02	0.57	MWD_M	None
218	2257.56	83.07	223.04	29.73	935.73	1704.78	-1100.97	-1307.15	1709.03	229.89	0.63	MWD_M	None
219	2286.54	82.81	223.64	28.98	939.29	1733.52	-1121.89	-1326.89	1737.61	229.79	0.68	MWD_M	None
220	2315.08	82.92	223.72	28.54	942.83	1761.82	-1142.37	-1346.45	1765.77	229.69	0.14	MWD_M	None
221	2344.40	82.93	223.65	29.32	946.44	1790.90	-1163.41	-1366.55	1794.71	229.59	0.07	MWD_M	None
222	2373.54	82.81	224.10	29.14	950.06	1819.80	-1184.26	-1386.59	1823.48	229.50	0.48	MWD_M	None
223	2402.26	82.90	224.09	28.72	953.63	1848.28	-1204.72	-1406.42	1851.85	229.42	0.10	MWD_M	None
224	2431.99	82.78	224.18	29.73	957.34	1877.77	-1225.89	-1426.96	1881.23	229.33	0.15	MWD_M	None
225	2461.30	83.07	224.67	29.31	960.95	1906.85	-1246.67	-1447.32	1910.21	229.26	0.59	MWD_M	None
226	2490.43	82.98	224.61	29.13	964.49	1935.76	-1267.24	-1467.64	1939.03	229.19	0.11	MWD_M	None
227	2519.16	82.90	225.31	28.73	968.02	1964.27	-1287.41	-1487.78	1967.47	229.13	0.74	MWD_M	None
228	2548.71	82.84	225.23	29.55	971.68	1993.59	-1308.05	-1508.61	1996.72	229.07	0.10	MWD_M	None
229	2576.88	82.89	224.82	28.17	975.18	2021.54	-1327.81	-1528.39	2024.61	229.02	0.44	MWD_M	None
230	2606.68	83.04	223.80	29.80	978.83	2051.11	-1348.97	-1549.05	2054.08	228.95	1.05	MWD_M	None
231	2635.65	82.75	223.17	28.97	982.42	2079.84	-1369.83	-1568.83	2082.70	228.87	0.73	MWD_M	None
232	2665.14	83.07	222.28	29.49	986.06	2109.06	-1391.32	-1588.68	2111.80	228.79	0.97	MWD_M	None
233	2694.34	82.87	221.77	29.20	989.63	2137.98	-1412.85	-1608.09	2140.58	228.70	0.57	MWD_M	None
234	2723.69	83.10	221.82	29.35	993.22	2167.05	-1434.57	-1627.50	2169.50	228.61	0.24	MWD_M	None
235	2752.63	82.64	221.29	28.94	996.81	2195.69	-1456.06	-1646.55	2198.01	228.51	0.74	MWD_M	None
236	2781.37	83.01	221.24	28.74	1000.40	2224.12	-1477.49	-1665.36	2226.30	228.42	0.40	MWD_M	None
237	2810.86	83.04	221.21	29.49	1003.98	2253.31	-1499.51	-1684.65	2255.34	228.33	0.04	MWD_M	None
238	2840.20	83.07</											

248	3131.41	82.98	222.60	19.39	1043.28	2570.77	-1735.73	-1897.69	2571.77	227.55	0.25	MWD_M	None
249	3160.44	83.13	223.05	29.03	1046.79	2599.55	-1756.86	-1917.28	2600.49	227.50	0.49	MWD_M	None
250	3198.90	82.95	223.10	38.46	1051.45	2637.69	-1784.75	-1943.35	2638.55	227.44	0.15	MWD_M	None
251	3228.02	82.72	222.88	29.12	1055.09	2666.55	-1805.88	-1963.05	2667.36	227.39	0.33	MWD_M	None
252	3248.06	83.01	223.06	20.04	1057.58	2686.42	-1820.43	-1976.61	2687.18	227.36	0.52	MWD_M	None
253	3277.44	82.87	223.02	29.38	1061.19	2715.54	-1841.74	-1996.51	2716.26	227.31	0.15	MWD_M	None
254	3306.48	82.84	222.85	29.04	1064.80	2744.32	-1862.84	-2016.14	2744.99	227.26	0.18	MWD_M	None
255	3335.61	82.98	222.85	29.13	1068.39	2773.20	-1884.03	-2035.79	2773.81	227.22	0.15	MWD_M	None
256	3365.04	82.93	222.99	29.43	1072.00	2802.37	-1905.42	-2055.68	2802.94	227.17	0.15	MWD_M	None
257	3393.88	83.02	223.15	28.84	1075.53	2830.97	-1926.33	-2075.23	2831.49	227.13	0.19	MWD_M	None
258	3423.18	82.93	223.14	29.30	1079.11	2860.02	-1947.55	-2095.12	2860.50	227.09	0.09	MWD_M	None
259	3452.58	82.87	223.46	29.40	1082.75	2889.17	-1968.78	-2115.13	2889.61	227.05	0.34	MWD_M	None
260	3481.86	83.04	222.77	29.28	1086.34	2918.20	-1989.99	-2134.99	2918.60	227.01	0.73	MWD_M	None
261	3510.74	83.04	222.63	28.88	1089.84	2946.83	-2011.06	-2154.43	2947.19	226.97	0.15	MWD_M	None
262	3539.69	83.04	222.63	28.95	1093.35	2975.52	-2032.20	-2173.89	2975.84	226.93	0.00	MWD_M	None
263	3568.44	83.04	222.48	28.75	1096.83	3004.02	-2053.23	-2193.19	3004.30	226.89	0.16	MWD_M	None
264	3598.02	82.98	222.36	29.58	1100.43	3033.33	-2074.90	-2212.99	3033.57	226.84	0.14	MWD_M	None
265	3627.49	82.92	222.68	29.47	1104.05	3062.54	-2096.46	-2232.76	3062.74	226.80	0.33	MWD_M	None
266	3656.73	83.01	222.80	29.24	1107.63	3091.52	-2117.77	-2252.46	3091.68	226.77	0.16	MWD_M	None
267	3685.30	82.90	222.67	28.57	1111.13	3119.83	-2138.60	-2271.70	3119.97	226.73	0.18	MWD_M	None
268	3714.76	82.81	222.80	29.46	1114.80	3149.03	-2160.07	-2291.53	3149.13	226.69	0.16	MWD_M	None
269	3743.85	82.92	222.70	29.09	1118.41	3177.86	-2181.26	-2311.13	3177.93	226.66	0.16	MWD_M	None
270	3772.89	82.90	222.71	29.04	1121.99	3206.63	-2202.44	-2330.67	3206.68	226.62	0.02	MWD_M	None
271	3802.03	82.78	222.85	29.14	1125.63	3235.51	-2223.66	-2350.31	3235.52	226.59	0.19	MWD_M	None
272	3831.57	82.95	222.73	29.54	1129.30	3264.79	-2245.17	-2370.22	3264.77	226.55	0.21	MWD_M	None
273	3860.84	82.93	222.76	29.27	1132.89	3293.80	-2266.50	-2389.94	3293.76	226.52	0.04	MWD_M	None
274	3890.43	83.01	222.65	29.59	1136.52	3323.12	-2288.08	-2409.86	3323.06	226.48	0.14	MWD_M	None
275	3918.61	83.10	222.98	28.18	1139.92	3351.06	-2308.60	-2428.87	3350.98	226.45	0.37	MWD_M	None
276	3948.60	82.95	222.88	29.99	1143.56	3380.80	-2330.40	-2449.14	3380.69	226.42	0.18	MWD_M	None
277	3977.32	83.01	222.99	28.72	1147.07	3409.27	-2351.27	-2468.56	3409.14	226.39	0.13	MWD_M	None
278	4006.70	82.69	222.84	29.38	1150.73	3438.39	-2372.62	-2488.41	3438.24	226.36	0.37	MWD_M	None
279	4036.26	81.37	222.53	29.56	1154.83	3467.62	-2394.14	-2508.25	3467.45	226.33	1.40	MWD_M	None
280	4066.07	77.51	221.67	29.81	1160.29	3496.87	-2415.87	-2527.90	3496.67	226.30	4.04	MWD_M	None
281	4095.39	73.91	220.89	29.32	1167.53	3525.19	-2437.22	-2546.64	3524.97	226.26	3.82	MWD_M	None
282	4123.52	70.84	220.51	28.13	1176.04	3551.90	-2457.54	-2564.12	3551.65	226.22	3.35	MWD_M	None
283	4153.05	68.11	220.64	29.53	1186.40	3579.44	-2478.55	-2582.11	3579.17	226.17	2.82	MWD_M	None
284	4182.48	65.88	220.41	29.43	1197.90	3606.42	-2499.14	-2599.71	3606.13	226.13	2.32	MWD_M	None
285	4211.99	62.57	221.14	29.51	1210.73	3632.89	-2519.26	-2617.06	3632.59	226.09	3.49	MWD_M	None
286	4241.13	58.93	221.72	29.14	1224.96	3658.24	-2538.32	-2633.88	3657.92	226.06	3.84	MWD_M	None
287	4270.18	55.34	222.42	29.05	1240.73	3682.59	-2556.43	-2650.22	3682.26	226.03	3.82	MWD_M	None
288	4299.75	51.76	223.11	29.57	1258.29	3706.34	-2573.89	-2666.37	3706.00	226.01	3.73	MWD_M	None
289	4328.84	50.02	223.66	29.09	1276.64	3728.90	-2590.30	-2681.87	3728.55	226.00	1.88	MWD_M	None
290	4343.75	49.03	223.86	14.91	1286.32	3740.23	-2598.49	-2689.72	3739.88	225.99	2.05	MWD_M	None
291	4375.03	46.72	224.47	31.28	1307.30	3763.42	-2615.13	-2705.88	3763.07	225.98	2.29	MWD_M	None
292	4404.38	42.24	222.93	29.35	1328.24	3783.97	-2629.99	-2720.09	3783.61	225.96	4.79	MWD_M	None
293	4433.66	38.99	222.93	29.28	1350.46	3803.00	-2643.94	-2733.07	3802.64	225.95	3.38	MWD_M	None
294	4463.05	34.99	224.20	29.39	1373.93	3820.67	-2656.76	-2745.25	3820.31	225.94	4.22	MWD_M	None
295	4491.90	31.26	222.22	28.85	1398.09	3836.42	-2668.24	-2756.05	3836.05	225.93	4.10	MWD_M	None
296	4521.32	28.34	216.34	29.42	1423.62	3850.93	-2679.52	-2765.32	3850.56	225.90	4.28	MWD_M	None
297	4550.49	28.90	217.79	29.17	1449.23	3864.75	-2690.67	-2773.74	3864.37	225.87	0.93	MWD_M	None
298	4593.00	30.00	220.00	42.51	1486.24	3885.50	-2706.93	-2786.87	3885.11	225.83	1.11	Proj. to TD	

Company:

ESSO Australia Pty Ltd

Well:

SNA A11A

Field:

Snapper

Rig:

ISDL 175

State:

Victoria

VISION\* Resistivity

1:500 Measured Depth

Real Time Mode Log

Schlumberger

8.50 In. Section

