




FTA A30A DrillMech RM Time Log


IDEAL Version: ID12_OC_13 < > Vertical Scale: 2" per 3600S Graphics File Created: 27-Oct-2007 17:58


				ESD_MAX/2Hz/Plotpoint (ESD_MAX) (LB/G)		9	14
				ESD/2Hz/Plotpoint (PRS_P1) (LB/G)		9	14
				ESD_MIN/2Hz/Plotpoint (PRS_P1) (LB/G)		9	14
Block_position (BPOS)				ARC Phase Shift Resistivity 40 inch at 2 MHz (P40H) (OHMM)			
30 (M) 0				0.2 200			
Hookload (HKLD)		Surface WOB (SWOB)		ARC Phase Shift Resistivity 34 inch at 2 MHz (P34H) (OHMM)		Bit off Bottom From DMT7 to Bit_on_ bottom/2hz/Curve	
0 (KLBF) 400		0 (KLBF) 100		0.2 200			
MD (DEPT)		Vib X-Axis (VIBX_RT)		ARC Phase Shift Resistivity 28 inch at 2 MHz (P28H) (OHMM)		Stand_pipe_pressure (SPPA)	
0 (M) 100		5 (G) 0		0.2 200		0 (PSI) 5000	
		MWD Collar RPM (CRPM_RT) (RPM)					
		0 400					
Rop*5 (ROP5)		Lateral Vib (VIBLAT_RT)		ARC Phase Shift Resistivity 22 inch at 2 MHz (P22H) (OHMM)		Trprm (TRPM_RT)	
200 (M/HR) 0		5 (G) 0		0.2 200		0 5000	
		Shock Peak (SHKPK_RT) (G) 200				Downhole Annulus Temperature (DHAT)	
		0 (G) 200		PKPK_RPM (Stick RT)		(DEGC) 200	
				0 (RPM) 400			














Bit Depth Value (DEPT) (M)	$\frac{MSE(LCOMP1)}{100000}$ (PSI)	11Oct 08:00 Surface rpm (RPM) (RPM)	$\frac{Surface_torque(TQA)}{50}$ (KFLB)	ARC Phase Shift Resistivity 16 inch at 2 MHz (P16H) (OHMM)	Average Flow 30sec (TFLO30s) (GPM)	Equivalent Circulating Density (ECD) (LB/G)
	0 100000	0 200	0 50	0.2 200	0 800	9 14
$\frac{Rop*5(ROP5)}{200}$ (M/HR)	$\frac{Lateral\ Vib(VIBLAT_RT)}{5}$ (G)	Shock Peak (SHKPK_ RT) (G) 200	$\frac{PKPK_RPM(Stick_RT)}{400}$ (RPM)	ARC Phase Shift Resistivity 22 inch at 2 MHz (P22H) (OHMM)	Trpm (TRPM_RT) (RPM)	Downhole Annulus Temperature (DHAT) (DEGC)
	0 5	0 200	0 400	0.2 200	0 5000	0 200
MD (DEPT)	Vib X-Axis (VIBX_RT)	MWD Collar RPM (CRRM_RT)		ARC Phase Shift Resistivity 28 inch at 2 MHz (P28H) (OHMM)		Stand pipe pressure (SPPA)
				0.2 200		

0	(M)	100	5	(G)	0	(CRPM_RT) (RPM)	0	400	28 inch at 2 MHz (P28H) (OHMM)	0	(PSI)	5000
Hookload (HKLD)		Surface WOB (SWOB)										Bit off Bottom From DMT7 to Bit_on_ bottom/2hz/Curve
0	(KLBF)	400	0	(KLBF)	100							
Block_position (BPOS)												
30	(M)	0										