



FTA A30A DrillMech RM Depth 200TVD Log


IDEAL Version: ID12_OC_13 <TVD> Vertical Scale: 1:200


Graphics File Created: 28-Oct-2007 01:29


			<div>T_FLOW (TFLO) (GPM) 0800</div>		
			<div>TUR_RPM (TRPM_RT) (RPM) 05000</div>		
		<div>SWOB (SWOB) (KLBF) 0100</div>	<div>MWD Collar RPM (CRPM_RT) (RPM) 0400</div>	<div>PKPK_RPM (Stick_RT) (RPM) 0400</div>	<div>Standpipe Pressure (SPPA) (PSI) 05000</div>
<div>Gamma Ray, Average (GRMA) (GAPI) 0200</div>	<div>MWD Vib X-Axis (VIBX_RT) (G) 50</div>	<div>STOR (TQA) (KFLB) 050</div>	<div>MWD Shock Peak (SHKP_K_RT) (G) 0200</div>	<div>CONT_AZIM (AZIM_CONT_RT) (DEG) -180180</div>	<div>Downhole Annulus Temperature (DHAT) (DEGC) 0200</div>
<div>ROP*5 (ROP5) (M/HR) 2000</div>	<div>Local comp 1 6in (LCOMP1) (PSI) 0100000</div>	<div>MWD Lateral Vib (VIBLAT_RT) (G) 50</div>	<div>Surface RPM (RPM) (RPM) 0200</div>	<div>CONT_INC (INCL_CONT_RT) (DEG) 090</div>	<div>Equivalent Circulating Density (ECD) (LB/G) 914</div>









































ROP*5 (ROP5) 200 (M/HR)	Local comp 1 6in (LCOMP1) (PSI)	MWD Lateral Vib (VIBLAT_RT) (G)	Surface RPM (RPM)	CONT_INC (INCL_CONT_RT) (DEG)	Equivalent Circulating Density (ECD) (LB/G)
0	0	5	0	90	9
0	100000	0	200	0	14

Gamma Ray, Average (GRMA) (GAPI) 200	MWD Vib X-Axis (VIBX RT) (G) 0	STOR (TQA) (KFLB) 50	MWD Shock Peak (SHKP K_RT) (G) 0 200	CONT_AZIM (AZIM_CONT_ RT) (DEG) -180 180	Downhole Annulus Temperature (DHAT) (DEGC) 0 200
	SWOB (SWOB) (KLBF) 0 100		MWD Collar RPM (CRPM _RT) (RPM) 0 400	PKPK_RPM (Stick_RT) (RPM) 0 400	Standpipe Pressure (SPPA) (PSI) 0 5000
					TUR_RPM (TRPM_RT) (RPM) 0 5000
					T_FLOW (TFLO) (GPM) 0 800