



# Input DLIS Files

DEFAULT FCS\_DEFT\_GMS\_ILS\_037PUP FN:28 PRODUCER 15-Aug-2006 21:40 2174.9 M 1968.9 M



# Output DLIS Files


DEFAULT FCS\_ILS\_DEFT\_GMS\_123PUP FN:113 PRODUCER 19-Aug-2006 07:40 2174.9 M 1969.3 M


## OP System Version: 14C0-302

MCM


PFCS-A 14C0-302 PILS-A 14C0-302  
DEFT-C2 14C0-302 PGMC-A/B 14C0-302  
PSPT-B 14C0-302















Well Diameter  
From PFC2 to  
PFC5\_T1

Pipe Ovalisation  
Between PFC1 and  
PFC2

PFC5 Spinner  
(SPIN)  
-10 (RPS) 10

Format: PFCS\_Image\_DL

Vertical Scale: 1:200

Graphics File Created: 19-Aug-2006 07:40

## OP System Version: 14C0-302

MCM

PFCS-A	14C0-302	PILS-A	14C0-302
DEFT-C2	14C0-302	PGMC-A/B	14C0-302
PSPT-B	14C0-302		

## Parameters

DLIS Name	Description	Value
PFCS-A: PSP Flow and caliper Tool		
AMOD	Spinner Filter Averaging Mode	LINEAR_AVERAGE
CSID	Casing Size I.D.	3.5 IN
DDRC	Dual DEFT DELTA RB COMPUTATION	D1RB2-D1RB
DDRS	Dual DEFT RB Source	D1RB
DFBD	DEFT Blank Disallowed Probes	NO
DFFI	DEFT Flip Image	NO
DFII	DEFT Image Interpolation	YES
DFIRS	DEFT Image Rotation Selection	TOP_MIDDLE
DFPP	Probes Arm Position	C
GDEV	Average Angular Deviation of Borehole from Normal	50 DEG
PFGC	PFCS Geometrical coefficient	1200
PFRE1	Downhole Resistor Probe 1	3000 OHMS
PFRE2	Downhole Resistor Probe 2	3000 OHMS
PFRE3	Downhole Resistor Probe 3	3000 OHMS
PFRE4	Downhole Resistor Probe 4	3000 OHMS
SDCF	Spinner Depth Constant Filter	6
SPIN	Main Spinner Flowmeter Sonde	PFCS-A_TURB
PILS-A: PSP In Line Spinner Flowmeter		
AMOD	Spinner Filter Averaging Mode	LINEAR_AVERAGE
SDCF	Spinner Depth Constant Filter	6
SPIN	Main Spinner Flowmeter Sonde	PFCS-A_TURB
DEFT-C2: DEFT_C Tool		
CSID	Casing Size I.D.	3.5 IN
DDRC	Dual DEFT DELTA RB COMPUTATION	D1RB2-D1RB
DDRS	Dual DEFT RB Source	D1RB
DFBD	DEFT Blank Disallowed Probes	NO
DFFI	DEFT Flip Image	NO
DFII	DEFT Image Interpolation	YES
DFIRS	DEFT Image Rotation Selection	TOP_MIDDLE
DFPP2	Probes Arm Position (2nd tool)	D
PFGC	PFCS Geometrical coefficient	1200
PGMC-A/B: PSP Gradiomanometer Measurement Module		
CSID	Casing Size I.D.	3.5 IN
GCPG	Gradio Surf.Cal Diff.Pres Gain	1
GCPO	Gradio Surf.Cal Diff.Pres Offset	0 KPAA
PDSH	Gradio Correction Density Shift	0 G/C3
PSPT-B: Production Services Logging Platform		
CSID	Casing Size I.D.	3.5 IN
GDEV	Average Angular Deviation of Borehole from Normal	50 DEG
BORDYN: BorDyn (Well Test Validation)		
CSID	Casing Size I.D.	3.5 IN
System and Miscellaneous		
CSIZ	Current Casing Size	7.000 IN
DO	Depth Offset for Playback	0.0 M
PP	Playback Processing	NORMAL

## Input DLIS Files

DEFAULT	FCS_DEFT_GMS_ILS_037PUP	FN:28	PRODUCER	15-Aug-2006 21:40	2174.9 M	1968.9 M
---------	-------------------------	-------	----------	-------------------	----------	----------

## Output DLIS Files

DEFAULT	FCS_ILS_DEFT_GMS_123PUP	FN:113	PRODUCER	19-Aug-2006 07:40
---------	-------------------------	--------	----------	-------------------