

**Input Source:** D:\OP\_Folder\Clients\ExxonMobil\WTN\_W8A\_AUG\PFCS\COMP\_W8A\_COMP\_133.DLIS  
**Format:** DLIS  
**Storage Set ID:** Default Storage Set

**Max Record Length:** 8192  
**Storage Unit Sequence:** 1

**File Header**

File: **FCS\_DEFT\_GMS\_ILS\_027LTP** Sequence: **1**

**Defining Origin: 46**

File ID: FCS\_DEFT\_GMS\_ILS\_027LTP File Type: STATION

Producer Name: Schlumberger

Product/Version: OP 14C0-302

File Set: 41

File Number: 19

15-AUG-2006 14:34:57

Company Name: Esso Australia Ltd.

Well Name: W-8A

Field Name: West Tuna

Tool String: PFCS-A, DEFT-C2, PGMC-A/B, PILS-A, PSPT

Computations: WELLCAD, SPRI, BORDYN, PLQL

**Error Summary**

File: **FCS\_DEFT\_GMS\_ILS\_027LTP** Sequence: **1**

No errors detected in file.

**Well Site Data**

File: **FCS\_DEFT\_GMS\_ILS\_027LTP** Sequence: **1**

**Origin: 46****Well Data**

Company Name	Esso Australia Ltd.	CN
Well Name	W-8A	WN
Field Name	West Tuna	FN
Rig:	Prod4/Crane	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Field Location	Gippsland	FL
	Basin	FL1
	Bass Strait	FL2
Service Order Number	Ausl06336236	SON
Longitude	148 30' 22" E	LONG
Latitude	038.1 19' 86" S	LATI
Maximum Hole Deviation	64.0 (deg)	MHD
Elevation of Kelly Bushing	34.7 (m)	EKB
Elevation of Ground Level	-61.0 (m)	EGL
Elevation of Derrick Floor	34.7 (m)	EDF
Permanent Datum	M.S.L	PDAT, EPD
Log Measured From	D.F	LMF, APD
Drilling Measured From	D.F	DMF

Elevation of Permanent Datum 0.0 (m)

Above Permanent Datum 34.7 (m)

Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN

**Job Data**

Date as Month-Day-Year	15-Aug-2006	DATE
Run Number	1	RUN
Total Depth - Driller	3506.7 (m)	TDD
Bottom Log Interval	2195.0 (m)	BLI
Top Log Interval	2000.0 (m)	TLI
Current Casing Size	7.00 (in)	CSIZ
Casing Depth From	17.6 (m)	CDF
Casing Depth To	3583.4 (m)	CADT
Casing Grade	L-80	CASG
Casing Weight	26.0 (lbm/ft)	CWEI
Bit Size	8.00 (in)	BS
Date Logger At Bottom	15-Aug-2006	DLAB
Logging Unit Number	1	LUN, LUL
Engineer's Name	S Gilbert , G Wright	ENGI
Witness's Name	G Rimmer	WITN
Service Order Number	Ausl06336236	SON

Logging Unit Location Prod 4 / Ausl

Absent Valued Parameters: TDL, BSDF, BSDT, TLAB

**Mud Data**

Drilling Fluid Type	Production Fluids	DFT
---------------------	-------------------	-----

Drilling Fluid Density	0.0 (g/cm3)	DFD
Date Logger At Bottom	15-Aug-2006	DLAB
Absent Valued Parameters: DfV, DfL, DfPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS, TLAB		
PVT Data		
Absent Valued Parameters: ODen, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR		
Cement Data		
Cement Job Type	Primary	CJT
Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA		
Remarks		
Log Correlated to West Tuna W-8A Solar Composite Log.		R1
Objectives: Compleet PSP Survey , Deft/Spinner		R2
(both inline and Fullbore) Pressure/ temperature survey		R3
over the interval 2000m MDKB to 2195m MDKB.		R4
Shut in Pass: 2000m MDKB to 2195m MDKB @ 1800ft/h		R5
Flowing Pass: 2195m MDKB to 2000m MDKB @ 1800ft/h		R6
Maximum Deviation: 64.2 deg		R7
SBHP: SBHT:		R8
FBHP: FBHT:		R9
Crew: John Light , Ben Taylor		R16
Other Services		
None		OS1

Frame Summary		File: FCS_DEFT_GMS_ILS_027LTP	Sequence: 1
Origin: 46			
<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>
TIME	11205.32	30810.32 s	2000.0 (0.5 ms)
			<u>Channels</u>
			76
			<u>Index Channel</u>
			TIME;4
			<u>Frame Name</u>
			2000T

File Header		File: FCS_DEFT_GMS_ILS_064PUP	Sequence: 2
Defining Origin: 41			
File ID: FCS_DEFT_GMS_ILS_064PUP File Type: PLAYBACK			
Producer Name: Schlumberger		Product/Version: OP 14C0-302	File Set: 41
			File Number: 55
			16-AUG-2006 13:52:50
Company Name:		Esso Australia Ltd.	
Well Name:		W-8A	
Field Name:		West Tuna	
Tool String:		PFCS-A, DEFT-C2, PGMC-A/B, PILS-A, PSPT.	
Computations:		WELLCAD, SPRI, BORDYN, PLQL	

Error Summary		File: FCS_DEFT_GMS_ILS_064PUP	Sequence: 2
No errors detected in file.			

Well Site Data		File: FCS_DEFT_GMS_ILS_064PUP	Sequence: 2
Origin: 41			
Well Data			
Company Name	Esso Australia Ltd.		CN
Well Name	W-8A		WN
Field Name	West Tuna		FN
Rig:	Prod4/Crane		CLAB, COUN
State:	Victoria		SLAB, STAT
Nation	Australia		NATI
Field Location	Gippsland		FL
	Basin		FL1
	Bass Strait		FL2
Service Order Number	Ausl06336236		SON
Longitude	148 30' 22" E		LONG
Latitude	038 11 0' 86" S		LATI

Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN

## Job Data

Date as Month-Day-Year	15-Aug-2006			DATE
Run Number	1			RUN
Total Depth – Driller	3506.7 (m)			TDD
Bottom Log Interval	2195.0 (m)			BLI
Top Log Interval	2000.0 (m)			TLI
Current Casing Size	7.00 (in)			CSIZ
Casing Depth From	17.6 (m)			CDF
Casing Depth To	3583.4 (m)			CADT
Casing Grade	L-80			CASG
Casing Weight	26.0 (lbm/ft)			CWEI
Bit Size	8.00 (in)			BS
Date Logger At Bottom	15-Aug-2006			DLAB
Logging Unit Number	1	Logging Unit Location	Prod 4 / Ausl	LUN, LUL
Engineer's Name	S Gilbert , G Wright			ENGI
Witness's Name	G Rimmer			WITN
Service Order Number	Ausl06336236			SON

Absent Valued Parameters: TDL, BSDF, BSDT, TLAB

## Mud Data

Drilling Fluid Type	Production Fluids	DFT
Drilling Fluid Density	0.0 (g/cm3)	DFD
Date Logger At Bottom	15-Aug-2006	DLAB

Absent Valued Parameters: DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS, TLAB

## PVT Data

Absent Valued Parameters: ODN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR

## Cement Data

Cement Job Type	Primary	CJT
-----------------	---------	-----

Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA

### Remarks

Log Correlated to West Tuna W-8A Solar Composite Log.	R1
Objectives: Compleet PSP Survey , Deft/Spinner	R2
(both inline and Fullbore) Pressure/ temperature survey	R3
over the interval 2000m MDKB to 2195m MDKB.	R4
Shut in Pass: 2000m MDKB to 2195m MDKB @ 1800ft/h	R5
Flowing Pass: 2195m MDKB to 2000m MDKB @ 1800ft/h	R6
Maximum Deviation: 64.2 deg	R7
SBHP: SBHT:	R8
FBHP: FBHT:	R9
Crew: John Light , Ben Taylor	R16

## Other Services

None	OS1
------	-----

## Frame Summary

File: **FCS\_DEFT\_GMS\_ILS\_064PUP** Sequence: **2**

**Origin: 41**

Index Type	Start	Stop	Spacing	Channels	Index Channel	Frame Name
BOREHOLE-DEPTH	3386.94	3251.00 m	-60.0 (0.1 in) up	85	TDEP	60B
	11112.00	10666.00 ft				
BOREHOLE-DEPTH	3386.94	3251.02 m	-10.0 (0.1 in) up	7	TDEP;1	10B
	11112.00	10666.08 ft				

## File Header

File: FCS DEFT CMS U.S. AC8BLUB Sequence: 3

### Remarks

Remarks	
Log Correlated to West Tuna W-8A Solar Composite Log.	R1
Objectives: Complete PSP Survey , Deft/Spinner	R2
(both inline and Fullbore) Pressure/ temperature survey	R3
over the interval 2000m MDKB to 2195m MDKB.	R4
Shut in Pass: 2000m MDKB to 2195m MDKB @ 1800ft/h	R5
Flowing Pass: 2195m MDKB to 2000m MDKB @ 1800ft/h	R6
Maximum Deviation: 64.2 deg	R7
SBHP: SBHT:	R8
FBHP: FBHT:	R9
Crew: John Light , Ben Taylor	R16
<b>Other Services</b>	
None	OS1

Frame Summary		File: FCS_DEFT_GMS_ILS_068PUP		Sequence: 3		
Origin: 41						
<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>
BOREHOLE-DEPTH	2211.48	1990.50 m	-60.0 (0.1 in) up	85	TDEP	60B
	7255.50	6530.50 ft				
BOREHOLE-DEPTH	2211.48	1990.52 m	-10.0 (0.1 in) up	7	TDEP,1	10B
	7255.50	6530.58 ft				

<b>File Header</b>	File: <b>FCS_ILS_DEFT_GMS_123PUP</b>	Sequence: <b>4</b>
<b>Defining Origin: 80</b>		
File ID: FCS_ILS_DEFT_GMS_123PUP File Type: PLAYBACK		
Producer Name: Schlumberger	Product/Version: OP 14C0-302	File Set: 41
		File Number: 113
		19-AUG-2006 7:40:06
Company Name:	Esso Australia Ltd.	
Well Name:	W-8A	
Field Name:	West Tuna	
Tool String:	PFCS-A, PILS-A, DEFT-C2, PGMC-A/B, PSPT.	
Computations:	WELLCAD, SPRI, BORDYN, PLQL	

<b>Error Summary</b>	File: <b>FCS_ILS_DEFT_GMS_123PUP</b>	Sequence: <b>4</b>
No errors detected in file.		

<b>Well Site Data</b>	File: <b>FCS_ILS_DEFT_GMS_123PUP</b>	Sequence: <b>4</b>
<b>Origin: 80</b>		
<b>Well Data</b>		
Company Name	Esso Australia Ltd.	CN
Well Name	W-8A	WN
Field Name	West Tuna	FN
Rig:	Prod4/Crane	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Field Location	Gippsland	FL
	Basin	FL1
	Bass Strait	FL2
Service Order Number	Ausl06336236	SON
Longitude	148 30' 22" E	LONG
Latitude	038.1 19' 86" S	LATI
Maximum Hole Deviation	64.0 (deg)	MHD
Elevation of Kelly Bushing	34.7 (m)	EKB
Elevation of Ground Level	-61.0 (m)	EGL
Elevation of Derrick Floor	34.7 (m)	EDF
Permanent Datum	M.S.L	PDAT, EPD
Log Measured From	D.F	LMF, APD
Drilling Measured From	D.F	DMF
Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN		
<b>Job Data</b>		
Date as Month-Day-Year	15-Aug-2006	DATE
Run Number	1	RUN

Run Number	1				RUN
Total Depth – Driller	3506.7 (m)				TDD
Bottom Log Interval	2195.0 (m)				BLI
Top Log Interval	2000.0 (m)				TLI
Current Casing Size	7.00 (in)				CSIZ
Casing Depth From	17.6 (m)				CDF
Casing Depth To	3583.4 (m)				CADT
Casing Grade	L–80				CASG
Casing Weight	26.0 (lbm/ft)				CWEI
Bit Size	8.50 (in)				BS
Date Logger At Bottom	15–Aug–2006				DLAB
Logging Unit Number	1	Logging Unit Location	Prod 4 / Ausl		LUN, LUL
Engineer's Name	S Gilbert , G Wright				ENGI
Witness's Name	G Rimmer				WITN
Service Order Number	Ausl06336236				SON
Absent Valued Parameters: TDL, BSDF, BSDT, TLAB					
<b>Mud Data</b>					
Drilling Fluid Type	Production Fluids				DFT
Drilling Fluid Density	0.0 (g/cm3)				DFD
Date Logger At Bottom	15–Aug–2006				DLAB
Absent Valued Parameters: DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS, TLAB					
<b>PVT Data</b>					
Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR					
<b>Cement Data</b>					
Cement Job Type	Primary				CJT
Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA					
<b>Remarks</b>					
Log Correlated to West Tuna W–8A Solar Composite Log.					R1
Objectives: Compleet PSP Survey , Deft/Spinner					R2
(both inline and Fullbore) Pressure/ temperature survey					R3
over the interval 2000m MDKB to 2195m MDKB.					R4
Shut in Pass: 2000m MDKB to 2195m MDKB @ 1800ft/h					R5
Flowing Pass: 2195m MDKB to 2000m MDKB @ 1800ft/h					R6
Maximum Deviation: 64.2 deg					R7
SBHP: SBHT:					R8
FBHP: FBHT:					R9
Crew: John Light , Ben Taylor					R16
<b>Other Services</b>					
None					OS1

Frame Summary		File: FCS_ILS_DEFT_GMS_123PUP		Sequence: 4		
Origin: 80						
Index Type	Start	Stop	Spacing	Channels	Index Channel	Frame Name
BOREHOLE-DEPTH	2174.90	1969.31 m	-60.0 (0.1 in) up	85	TDEP	60B
	7135.50	6461.00 ft				
BOREHOLE-DEPTH	2174.90	1969.34 m	-10.0 (0.1 in) up	4	TDEP;1	10B
	7135.50	6461.08 ft				

File Header		File: FCS_ILS_DEFT_GMS_120PUP		Sequence: 5		
Defining Origin: 80						
File ID: FCS_ILS_DEFT_GMS_120PUP File Type: PLAYBACK						
Producer Name: Schlumberger		Product/Version: OP 14C0-302		File Set: 41	File Number: 110	19-AUG-2006 7:07:21
Company Name:	Esso Australia Ltd.					
Well Name:	W-8A					
Field Name:	West Tuna					
Tool String:	PFCS-A, PILS-A, DEFT-C2, PGMC-A/B, PSPT.					
Computations:	WELLCAD, SPRI, BORDYN, PLQL					

Origin: 80

Well Data

Company Name	Esso Australia Ltd.	CN
Well Name	W-8A	WN
Field Name	West Tuna	FN
Rig:	Prod4/Crane	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Field Location	Gippsland	FL
	Basin	FL1
	Bass Strait	FL2
Service Order Number	Ausl06336236	SON
Longitude	148 30' 22" E	LONG
Latitude	038.1 19' 86" S	LATI
Maximum Hole Deviation	64.0 (deg)	MHD
Elevation of Kelly Bushing	34.7 (m)	EKB
Elevation of Ground Level	-61.0 (m)	EGL
Elevation of Derrick Floor	34.7 (m)	EDF
Permanent Datum	M.S.L	PDAT, EPD
Log Measured From	D.F	LMF, APD
Drilling Measured From	D.F	DMF

Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN

Job Data

Date as Month-Day-Year	15-Aug-2006	DATE
Run Number	1	RUN
Total Depth - Driller	3506.7 (m)	TDD
Bottom Log Interval	2195.0 (m)	BLI
Top Log Interval	2000.0 (m)	TLI
Current Casing Size	7.00 (in)	CSIZ
Casing Depth From	17.6 (m)	CDF
Casing Depth To	3583.4 (m)	CADT
Casing Grade	L-80	CASG
Casing Weight	26.0 (lbm/ft)	CWEI
Bit Size	8.50 (in)	BS
Date Logger At Bottom	15-Aug-2006	DLAB
Logging Unit Number	1	LUN, LUL
Engineer's Name	S Gilbert , G Wright	ENGI
Witness's Name	G Rimmer	WITN
Service Order Number	Ausl06336236	SON

Absent Valued Parameters: TDL, BSDF, BSDT, TLAB

Mud Data

Drilling Fluid Type	Production Fluids	DFT
Drilling Fluid Density	0.0 (g/cm3)	DFD
Date Logger At Bottom	15-Aug-2006	DLAB

Absent Valued Parameters: DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS, TLAB

PVT Data

Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR

Cement Data

Cement Job Type	Primary	CJT
-----------------	---------	-----

Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA

Remarks

Log Correlated to West Tuna W-8A Solar Composite Log.	R1
Objectives: Compleet PSP Survey , Deft/Spinner	R2
(both inline and Fullbore) Pressure/ temperature survey	R3
over the interval 2000m MDKB to 2195m MDKB.	R4
Shut in Pass: 2000m MDKB to 2195m MDKB @ 1800ft/h	R5
Flowing Pass: 2195m MDKB to 2000m MDKB @ 1800ft/h	R6
Maximum Deviation: 64.2 deg	R7
SBHP: SBHT:	R8
FBHP: FBHT:	R9
Crew: John Light , Ben Taylor	R16

Other Services

**Origin: 80**

<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>
BOREHOLE-DEPTH	3384.19	3281.17 m	-60.0 (0.1 in) up	85	TDEP	60B
	11103.00	10765.00 ft				
BOREHOLE-DEPTH	3384.19	3281.20 m	-10.0 (0.1 in) up	4	TDEP,1	10B
	11103.00	10765.08 ft				

## Defining Origin: 80

File ID: FCS\_ILS\_DEFT\_GMS\_127PUP File Type: PLAYBACK  
 Producer Name: Schlumberger Product/Version: OP 14C0-302 File Set: 41 File Number: 116 19-AUG-2006 8:02:41  
 Company Name: Esso Australia Ltd.  
 Well Name: W-8A  
 Field Name: West Tuna  
 Tool String: PFCS-A, PILS-A, DEFT-C2, PGM-C-A/B, PSPT  
 Computations: WELLCAD, SPRI, BORDYN, PLQL

No errors detected in file.

**Origin: 80**

## Well Data

Company Name	Esso Australia Ltd.	CN
Well Name	W-8A	WN
Field Name	West Tuna	FN
Rig:	Prod4/Crane	CLAB, COUN
State:	Victoria	SLAB, STAT
Nation	Australia	NATI
Field Location	Gippsland	FL
	Basin	FL1
	Bass Strait	FL2
Service Order Number	AusI06336236	SON
Longitude	148 30' 22" E	LONG
Latitude	038.1 19' 86" S	LATI
Maximum Hole Deviation	64.0 (deg)	MHD
Elevation of Kelly Bushing	34.7 (m)	EKB
Elevation of Ground Level	-61.0 (m)	EGL
Elevation of Derrick Floor	34.7 (m)	EDF
Permanent Datum	M.S.L	PDAT, EPD
Log Measured From	D.F	LMF, APD
Drilling Measured From	D.F	DMF

Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN

## Job Data

Date as Month-Day-Year	15-Aug-2006			DATE
Run Number	1			RUN
Total Depth – Driller	3506.7 (m)			TDD
Bottom Log Interval	2195.0 (m)			BLI
Top Log Interval	2000.0 (m)			TLI
Current Casing Size	7.00 (in)			CSIZ
Casing Depth From	17.6 (m)			CDF
Casing Depth To	3583.4 (m)			CADT
Casing Grade	L-80			CASG
Casing Weight	26.0 (lbm/ft)			CWEI
Bit Size	8.50 (in)			BS
Date Logger At Bottom	15-Aug-2006			DLAB
Logging Unit Number	1	Logging Unit Location	Prod 4 / Ausl	LUN, LUL
Engineer's Name	S Gilbert, G Wright			ENC



Engineer's Name	C Gilbert , C Wright	ENR
Witness's Name	G Rimmer	WITN
Service Order Number	Ausl06336236	SON
Absent Valued Parameters: TDL, BSDF, BSDT, TLAB		
<b>Mud Data</b>		
Drilling Fluid Type	Production Fluids	DFT
Drilling Fluid Density	0.0 (g/cm3)	DFD
Date Logger At Bottom	15-Aug-2006	DLAB
Absent Valued Parameters: DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS, TLAB		
<b>PVT Data</b>		
Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR		
<b>Cement Data</b>		
Cement Job Type	Primary	CJT
Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA		
<b>Remarks</b>		
Log Correlated to West Tuna W-8A Solar Composite Log.		R1
Objectives: Compleet PSP Survey , Deft/Spinner		R2
(both inline and Fullbore) Pressure/ temperature survey		R3
over the interval 2000m MDKB to 2195m MDKB.		R4
Shut in Pass: 2000m MDKB to 2195m MDKB @ 1800ft/h		R5
Flowing Pass: 2195m MDKB to 2000m MDKB @ 1800ft/h		R6
Maximum Deviation: 64.2 deg		R7
SBHP: SBHT:		R8
FBHP: FBHT:		R9
Crew: John Light , Ben Taylor		R16
<b>Other Services</b>		
None		OS1

<b>Frame Summary</b> File: <b>FCS_ILS_DEFT_GMS_127PUP</b> Sequence: <b>6</b>						
<b>Origin: 80</b>						
<u>Index Type</u>	<u>Start</u>	<u>Stop</u>	<u>Spacing</u>	<u>Channels</u>	<u>Index Channel</u>	<u>Frame Name</u>
BOREHOLE-DEPTH	2200.35	2142.29 m	-60.0 (0.1 in) up	85	TDEP	60B
	7219.00	7028.50 ft				
BOREHOLE-DEPTH	2200.35	2142.31 m	-10.0 (0.1 in) up	4	TDEP;1	10B
	7219.00	7028.58 ft				

File Header		File: FCS_ILS_DEFT_GMS_129PUP		Sequence: 7	
Defining Origin: 80					
File ID: FCS_ILS_DEFT_GMS_129PUP   File Type: PLAYBACK					
Producer Name: Schlumberger		Product/Version: OP 14C0-302		File Set: 41	File Number: 118      19-AUG-2006 8:23:41
Company Name:	Esso Australia Ltd.				
Well Name:	W-8A				
Field Name:	West Tuna				
Tool String:	PFCS-A, PILS-A, DEFT-C2, PGMC-A/B, PSPT.				
Computations:	WELLCAD, SPRI, BORDYN, PLQL				

<b>Error Summary</b> File: <b>FCS_ILS_DEFT_GMS_129PUP</b> Sequence: <b>7</b>		
No errors detected in file.		

<b>Well Site Data</b> File: <b>FCS_ILS_DEFT_GMS_129PUP</b> Sequence: <b>7</b>		
<b>Origin: 80</b>		
<b>Well Data</b>		
Company Name	Esso Australia Ltd.	CN
Well Name	W-8A	WN

Field Name	West Tuna		FN
Rig:	Prod4/Crane		CLAB, COUN
State:	Victoria		SLAB, STAT
Nation	Australia		NATI
Field Location	Gippsland		FL
	Basin		FL1
	Bass Strait		FL2
Service Order Number	Ausl06336236		SON
Longitude	148 30' 22" E		LONG
Latitude	038.1 19' 86" S		LATI
Maximum Hole Deviation	64.0 (deg)		MHD
Elevation of Kelly Bushing	34.7 (m)		EKB
Elevation of Ground Level	-61.0 (m)		EGL
Elevation of Derrick Floor	34.7 (m)		EDF
Permanent Datum	M.S.L	Elevation of Permanent Datum	PDAT, EPD
Log Measured From	D.F	Above Permanent Datum	LMF, APD
Drilling Measured From	D.F		DMF

Absent Valued Parameters: CN1, CONT, SECT, TOWN, RANG, APIN

Job Data

Date as Month-Day-Year	15-Aug-2006		DATE
Run Number	1		RUN
Total Depth – Driller	3506.7 (m)		TDD
Bottom Log Interval	2195.0 (m)		BLI
Top Log Interval	2000.0 (m)		TLI
Current Casing Size	7.00 (in)		CSIZ
Casing Depth From	17.6 (m)		CDF
Casing Depth To	3583.4 (m)		CADT
Casing Grade	L-80		CASG
Casing Weight	26.0 (lbm/ft)		CWEI
Bit Size	8.50 (in)		BS
Date Logger At Bottom	15-Aug-2006		DLAB
Logging Unit Number	1	Logging Unit Location	Prod 4 / Ausl
Engineer's Name	S Gilbert , G Wright		ENGI
Witness's Name	G Rimmer		WITN
Service Order Number	Ausl06336236		SON

Absent Valued Parameters: TDL, BSDF, BSDT, TLAB

Mud Data

Drilling Fluid Type	Production Fluids		DFT
Drilling Fluid Density	0.0 (g/cm3)		DFD
Date Logger At Bottom	15-Aug-2006		DLAB

Absent Valued Parameters: DFV, DFL, DFPH, BSAL, MSS, RMS, MST, RMFS, MFST, RMCS, MCST, RMB, RMFB, MRT, MRT1, MRT2, MRT3, DCS, TCS, TLAB

PVT Data

Absent Valued Parameters: ODEN, BSAL, GGRA, BO, BW, IBG, BPP, BPT, SGOR

Cement Data

Cement Job Type	Primary		CJT
-----------------	---------	--	-----

Absent Valued Parameters: CTOP, CASN, LCMT, LCVO, CDEN, CWLO, CADD, TCTY, TCV, TCDE, TCWL, TCA

Remarks

Log Correlated to West Tuna W-8A Solar Composite Log.	R1
Objectives: Compleet PSP Survey , Deft/Spinner	R2
(both inline and Fullbore) Pressure/ temperature survey	R3
over the interval 2000m MDKB to 2195m MDKB.	R4
Shut in Pass: 2000m MDKB to 2195m MDKB @ 1800ft/h	R5
Flowing Pass: 2195m MDKB to 2000m MDKB @ 1800ft/h	R6
Maximum Deviation: 64.2 deg	R7
SBHP: SBHT:	R8
FBHP: FBHT:	R9
Crew: John Light , Ben Taylor	R16

Other Services

None	OS1
------	-----

Frame Summary      File: FCS\_ILS\_DEFT\_GMS\_129PUP      Sequence: 7

Origin: 80

Index Type	Start	Stop	Spacing	Channels	Index Channel	Frame Name
BOREHOLE-DEPTH	3348.53	3247.49 m	-60.0 (0.1 in) up	85	TDEP	60B
	10986.00	10654.50 ft				
BOREHOLE-DEPTH	3348.53	3247.52 m	-10.0 (0.1 in) up	7	TDEP,1	10B
	10986.00	10654.58 ft				

